Python workshop

Week 4: Files and lists

barbera@van-schaik.org



Overview of this workshop series

- Week 1: Writing your first program
- Week 2: Make choices and reuse code
- Week 3: Loops and strings
- Week 4: Files and lists
- Week 5: Dictionaries and tuples

Acknowledgments: Structure of the workshop follows the book "Python for informatics" by Charles Severance.

Several examples are from this book or the accompanying slides.




Recap

- Making choices
 - *if, elif, else* (test if something is True or False)
 - try, except (test if python fails on something, if so, do something else)
- Loops
 - while (go on and on while condition is True)
 - for (go through a list, a range, a file)
 - continue, break (go to start of loop, break the loop)
- Functions
 - def, arguments, return values

How to continue after this course?

- http://coursera.org
 - Programming for everybody (repeat what you learned already with more examples)
 - Python data structures (idem)
 - Using Python to access web data
 - Using databases with Python
 - Interactive programming (e.g. games)
 - Raspberry Pi and Python (IoT)
 - ... and more
- http://edx.org
 - Introduction to Computer Science and programming using Python
 - Computational thinking and data science
 - ... and much more
- https://www.codecademy.com/



How to continue? Other languages

- Web: HTML5, Javascript, PHP
- Apps: Java, C, C++, C#
- Statistics/math: R, matlab
- Electronics: C, Arduino
- Heavy calculations: C



Disclaimer: several languages can be used to do the same, but these are often used for these purposes and this is definitely not a complete list

How to continue: application areas

- Games
- Web applications
- Mobile applications
- Science, big data and/or math (e.g. life sciences, physics, finances)
- Cloud or high performance computing
- Computer graphics




A bioinformatics example

DNA structure



DNA



- A opposite T
- G opposite C

Get complement reverse of DNA

DNA: Franklin, Crick & Wetzon

You get this sequence/string:
ACTGCCCCAAAATTTGGG

The complement (A-T, C-G) is this:

TGACGGGGTTTTAAACCC

Then reverse the string:
CCCAAATTTTGGGGCAGT

How to solve the DNA puzzle?

If there is an A, transform it to a T
If there is a T, make it into an A
If there is a C, make it a G
If it is a G, make it a C


Then reverse the entire string

dna.py

Reverse a string

```
>>> s = "Strawberry fields forever"
>>> s[::-1]
```


'reverof sdleif yrrebwartS'



https://youtu.be/09SdN_a1JO8


Files

Files



Plato - Gorgias

- Illusion of logos (I just picked a random text from Plato)
- Persons of the dialogue: Callicles, Socrates, Chaerephon, Gorgias, Polus
- Abbreviated with: Cal., Soc., Chaer., Gor., Pol.



Part of the text

Soc. How fortunate! will you ask him, Chaerephon-?

Chaer. What shall I ask him?

Soc. Ask him who he is.

Chaer. What do you mean?

Read files

fh = open("plato.txt")

for line in fh: print line

Why do you get extra empty lines between the lines?

Answer: each line is read including the return/newline at the end!



You can print a return yourself: print "Blah\n"



open-file.py

How to remove the newline?

```
fh = open("plato.txt")

for line in fh:
    line = line.rstrip()
    print line
```





Let the user choose a file

And check if everything goes right with try/except

```
import sys
myfile = raw input("Enter filename: ")
try:
     fh = open(myfile)
except:
                                             ask-user-for-file.py
     sys.exit("cannot open file")
for line in fh:
                               Select Files
                                Choose File No file chosen
     line = line.rstrip()
                                 Choose File | No file chosen
     print line
```

Providing a file via the commandline

```
import sys
if len(sys.argv) < 2:
    sys.exit("Usage: thisscript.py somefile.txt")
myfile = sys.argv[1]
try:
    fh = open(myfile)
except:
    sys.exit("cannot open file")
for line in fh:
    line = line.rstrip()
    print line
```



Run it like this from the commandline: >python ask-user-for-file2.py plato.txt

Count lines in a file

```
import sys

myfile = "plato.txt"

fh = open(myfile, "r")

count_lines = 0

for line in fh:
    count_lines = count_lines + 1
```

A good decision is based on knowledge and not on numbers.

-Plato

```
print "File contains", count_lines, "lines."
```

Search for stuff in a file

```
count_socrates = 0
count_callicles = 0
for line in fh:
   line = line.strip()
   if line.startswith("Soc."):
        count_socrates = count_socrates + 1
   elif line.startswith("Cal."):
        count_callicles = count_callicles + 1
```

```
print "Socrates spoke", count_socrates, "times"
print "Callicles spoke", count_callicles, "times"
```

Writing files

```
fh = open("snoepjes.txt", "w")

for i in range(10):
    print >> fh, i, "Ik mag niet met snoepjes gooien"

fh.close()
```

snoepjes2.py



Lists

Lists and indices



```
>>> cijfers = [10,20,30,40,50,60]
>>> woorden = ["aap","noot","mies"]
>>> leeg = []
```

- >>> print woorden, cijfers, leeg
- >>> print woorden[2]
- >>> print woorden[10]



Populate lists

```
>>> mylist = range(0,11,2)
>>> mylist
```



```
>>> zin = "Dit is een zin"
```

```
>>> woorden = zin.split()
```

>>> woorden

Slices

```
>>> line = "scaramouch scaramouch will you do the fandango"
>>> words = line.split()
>>> words
```

>>> words[2:5]

>>> words[0][1]







List operations

$$>>> a = [1,6,9]$$

$$>>> b = [2,4,6]$$

$$>>> c = a+b$$

>>>
$$d = [1,2,b]$$
 # list in a list

>>> len(d) # is this what you expect?



Mutability



- String are NOT mutable
- Lists are



Loops




- >>> cheeses = ['Cheddar', 'Edam', 'Gouda']
- >>> for cheese in cheeses:
- >>> print cheese



Check if element is present in list

```
>>> cheeses = ['Cheddar', 'Edam', 'Gouda']
>>> 'Edam' in cheeses
>>> 'Brie' in cheeses
```





List functions

Append to a list

Extend list with another list

Sort list

Pop, remove element from list and return it





Apply functions to lists

```
>>> nums = [3,41,12,9,74,15]
>>> len(nums)
>>> max(nums)
>>> sum(nums)
>>> sum(nums)/len(nums)
                                INPUT x
                                  FUNCTION f:
                                    OUTPUT f(x)
```

List objects



Two ways to make a copy that you can change without changing the original list

Summary

- Files
 - Open, read, write
 - Parse elements from file
- Lists
 - A collection of words, letters, numbers, and even lists
 - List methods (append, pop, etc) and functions on lists (sum, len, etc)
- Files and lists
 - Get words from a files or specific columns

Assignment 1

- How many lines with the word "true" and how many with "false" in plato.txt?
- Hints
 - Open file
 - Make two variables to count "true" and "false"
 - Use the string method: find



Assignment 2

- Open the file "hobbies.txt" and print the names of the persons
- Hints:
 - Open file
 - "split" the lines
 - Get the right column and print it



Next week

Next: Dictionaries and tuples

- More programming exercise?
 - Chapter 7 and 8 of the book

